



**SCANIA**

SCAN HERE TO  
FIND OUT MORE  
ABOUT SCANIA

## SCANIA SPECIFICATIONS

	Bus and coach				
	F310HB6x2	K410IB6x2	K410IB6x2*4	F250HB4x2	K460ID6x2*4 Touring
<b>MASS DATA (kg)</b>					
Manufacturer's Gross Vehicle Mass (GVM)	26 500	25 000	25 000	19 500	25 000
Manufacturer's Front Axle Mass	7 500	7 500	7 500	7 500	7 500
Manufacturer's Rear Axle Mass	12 000 + 7 000	11 500 + 6 000	11 500 + 6 000	12 000	11 500 + 6 000
Permissible Maximum Drawing Vehicle Mass (DT)	30 000	28 500	28 500	23 000	28 500
<b>CAPACITIES</b>					
Fuel Tank (l)	300	–	–	300	–
<b>Engine</b>					
Make / Model	DC09 115	DC13 107	DC13 107	DC09 114	DC13 106
Configuration (cylinders: in-line, V)	In-line	In-line	In-line	In-line	In-line
Capacity (cm <sup>3</sup> )	9 290	12 740	12 740	9 290	12 740
Diesel/Petrol	Diesel	Diesel	Diesel	Diesel	Diesel
Emissions level	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3
Maximum Power - kW @ r/min	228	302	302	184	338
Maximum Torque - Nm @ r/min	1 550	2 000	2 000	1 250	2 250
<b>TRANSMISSION</b>					
Make / Model	G701	GR875R	GR875R	G701	GR5895R
<b>Number of Forward Gears</b>					
<b>High/low Ratios</b>					
Manual/Automatic/Automated (AMT)	Manual	AMT	AMT	Manual	AMT
Rear Axle Ratio	3,42:1	2,73:1	2,73:1	3,80:1	2,73:1
Clutch plate diameter (mm)	–	N/A	N/A	–	N/A
<b>SUSPENSION</b>					
Front	Leaf spring, anti-roll bar	Air	Air	Leaf spring, anti-roll bar	Air
Rear	Air	Air	Air	Leaf spring	Air
<b>BRAKES</b>					
Type	Drum	Drum	Disc	Drum	Disc
Auxiliary	Exhaust brake	Exhaust brake + Retarder	Exhaust brake + Retarder	Exhaust brake	Exhaust brake + Retarder
Vehicle stability	ABS	EBS	EBS	ABS	EBS
<b>STANDARD TYRE EQUIPMENT</b>					
Size and Ply Rating	315/80 R22.5	315/80 R22.5	315/80 R22.5	315/80 R22.5	315/80 R22.5
Radial or Crossply	Radial	Radial	Radial	Radial	Radial
Rims	Steel	Aluminium	Aluminium	Steel	Aluminium

